

MATERIAL SAFETY DATA SHEET

PAGE #: 1 OF 4

PRODUCT NAME: DS-50

MSDS NUMBER: 031802DS50

PRODUCT CODE: COOLING WATER DISPERSANT

MSDS DATE: 3/18/02

KEY NUMBER: DS-50

EMERGENCY PHONE #'s: 800-255-3924 (CHEMTEL)



Advanced Chemical Technology, Inc.

10743 Edison Court • Rancho Cucamonga, CA 91730 USA

Ph: 1-800-527-9607 / Fax: 1-909-980-9366

Web: <http://www.actglobal.net> Email: act@actglobal.net

HEALTH	1	Slightly Hazardous
FIRE	2	Flash Point: Below 200°F, 93°C
REACTIVITY	0	Stable
SPECIFIC		-

1. IDENTIFICATION

See Addendum: Ref. PAGE:

Chemical Name: DS-50

Chemical Family: COOLING WATER DISPERSANT

CAS #: MIXTURE

Chemical Formula: MIXTURE

CAS Name: MIXTURE

Molecular Weight: MIXTURE

Synonyms / Common Name: COOLING WATER DISPERSANT

DOT Information: COMBUSTIBLE

2. PHYSICAL DATA

See Addendum: Ref. PAGE:

Appearance: Purple Liquid

Color: Purple

State: Liquid

Odor Characteristics: Alcohol

pH: 7.67

Viscosity: ND

Specific Gravity (Water = 1): 1.015

Vapor Density (Air = 1): ND

Vapor Pressure: ND

Melting Point: NA

Boiling Point: 180 F

Flash Point: 101 F

Freezing Point: ND

Percent Volatility: ND

Evaporation Rate (BAc = 1): > 1

Solubility in Water: MISCIBLE

Solubility in Oil: ND

Solubility in Acetone: ND

3. INGREDIENTS - HAZARDOUS

See Addendum: Ref. PAGE:

Material / Components	CAS #:	CAS Name	TLV Units	Approx. %
Isopropyl Alcohol	67-63-0	Isopropyl Alcohol	400 ppm	Proprietary

4. FIRE AND EXPLOSION HAZARD DATA

See Addendum: Ref. PAGE:

Flash Point: 101 F

Flammable Limits in Air % by volume: Lower ND
Upper ND

Extinguishing Media: Water spray, foam, carbon dioxide, dry chemical

Special Fire Fighting Procedures: Fire fighters should wear self-contained breathing apparatus and full protective clothing.

Unusual Fire & Explosion Hazards: Irritating vapors may be emitted during a fire.

**Advanced Chemical Technology, Inc.**

10743 Edison Court • Rancho Cucamonga, CA 91730 USA

Ph: 1-800-527-9607 / Fax: 1-909-980-9366

Web: <http://www.actglobal.net> Email: act@actglobal.net

MATERIAL SAFETY DATA SHEET PAGE #: 2 OF 4

PRODUCT NAME: DS-50

MSDS NUMBER: 031802DS50

MSDS DATE: 3/18/02

PRODUCT CODE: COOLING WATER DISPERSANT

KEY NUMBER: DS-50

5. HEALTH HAZARD DATA See Addendum:

PAGE #:

Threshold Limit Value: 400 ppm**Effects of Overexposure:****Inhalation:** May cause irritation of upper respiratory passages, headaches, and vomiting**Skin Contact:** May cause irritation with prolonged contact.**Eye Contact:** Irritation and possible eye damage.**Ingestion:** Swallowing large quantities causes headaches, nausea, vomiting, stomach cramps, and diarrhea, and perhaps unconsciousness, or death.**Delayed Effects:** Prolonged exposure can cause central nervous system depression.**Medical Conditions Aggravated by Exposure** Impaired respiratory function, pre-existing eye and skin problems.**6. FIRST AID MEASURES** See Addendum:

PAGE #:

Inhalation: If breathing stops, give artificial respiration. Call a physician immediately.**Skin Contact:** Immediately remove clothing under a safety shower. Flush all affected areas with large amounts of water for at least 15 minutes.**Eye Contact:** Immediately flush the eyes with large quantities of running water for a minimum of 15 minutes. Obtain medical attention immediately.**Ingestion:** If conscious, immediately give small quantities of water. Call a physician or the nearest Poison Control Center immediately.**NOTES TO PHYSICIAN:** None.**7. REACTIVITY DATA** See Addendum:

PAGE #:

Stability: Stable**Incompatibility:** Strong oxidizing agents, strong acids and caustics.
(materials to avoid)**Hazardous Combustion or Decomposition Products** Carbon monoxide, carbon dioxide.**Hazardous Polymerization:** Will not occur.**Conditions to Avoid:** Do not mix with other industrial chemicals.**8. SPILL OR LEAK PROCEDURES** See Addendum:

PAGE #: 4

Actions to take for Leaks & Spills Remove all sources of ignition. Ventilate enclosed areas, soak up spillage with sand or other absorbent and place in chemical waste container for disposal. Do not flush into sewer or storm drain. Flush spilled area with detergent and water.**Waste Disposal Method:** Use D.O.T. approved containers for waste disposal. Dispose of all waste according to Federal, State, and Local regulations.



Advanced Chemical Technology, Inc.

10743 Edison Court • Rancho Cucamonga, CA 91730 USA

Ph: 1-800-527-9607 / Fax: 1-909-980-9366

Web: <http://www.actglobal.net> Email: act@actglobal.net

MATERIAL SAFETY DATA SHEET PAGE #: 3 OF 4

PRODUCT NAME: DS-50

MSDS NUMBER: 031802DS50

MSDS DATE: 3/18/02

PRODUCT CODE: COOLING WATER DISPERSANT

KEY NUMBER: DS-50

9. SPECIAL PROTECTION INFORMATION

See Addendum:

Ref. PAGE:

Respiratory Protection: NIOSH approved respirator in the absence of adequate environmental controls at the point of use.

Eye Protection: Chemical goggles and face shield.

Skin Protection: Rubber gloves.

Other Clothing: Rubber apron and protective clothes.

Other Equipment: None

Engineering Controls: Normal

10. HANDLING AND STORAGE

See Addendum:

Ref. PAGE:

Special Precautions: Local mechanical exhaust ventilation capable of maintaining emission at the point of use below the PEL>

Other Precautions: Store in a cool protected location. Keep container closed when not in use.

11. REGULATORY INFORMATION

See Addendum:

Ref. PAGE: 4

Workplace Classification: Combustible.

12. TOXICOLOGICAL INFORMATION

See Addendum:

Ref. PAGE:

Acute Data: May cause local irritation from exposure.

**Reproductive /
Teratology Data** ND

13. ECOLOGICAL INFORMATION

See Addendum:

Ref. PAGE:

Fate in the Environment: ND

14. DISPOSAL CONDITIONS

See Addendum:

Ref. PAGE:

Procedures: Dispose of all waste according to Federal, State, and Local regulations.

15. TRANSPORTATION INFORMATION

See Addendum:

Ref. PAGE:

DOT Classification: COMBUSTIBLE, UN 1993
(Isopropyl alcohol)

Warning Labels: COMBUSTIBLE



Advanced Chemical Technology, Inc.

10743 Edison Court • Rancho Cucamonga, CA 91730 USA

Ph: 1-800-527-9607 / Fax: 1-909-980-9366

Web: <http://www.actglobal.net> Email: act@actglobal.net

MATERIAL SAFETY DATA SHEET PAGE #: 4 OF 4

PRODUCT NAME: DS-50

MSDS NUMBER: 031802DS50

MSDS DATE: 3/18/02

PRODUCT CODE: COOLING WATER DISPERSANT

KEY NUMBER: DS-50

ADDENDUM for Section - 8. SPILL OR LEAK PROCEDURES - Ref. Pg. 2

Under the Resource Conservation and Recovery Act (RCRA), it is the responsibility of the user to determine whether a substance should be classified as a hazardous waste at the time of disposal. This is due to the fact that product use, transformation, synthesis, mixtures, etc. may change the nature of the product.

ADDENDUM for Section - 11. REGULATORY INFORMATION - Ref. Pg. 3

CERCLA Status: NOT REQUIRED

SARA/Title III- Section 304 Emergency Notification Reporting: This product does not contain a Section 304 listed hazardous substance.

SARA/Title III- Section 313 Emergency Notification Reporting: This product does not contain a Section 313 listed toxic chemical subject to release reporting requirements.

TSCA Inventory Status: All chemical components are listed on TSCA inventory.

California Proposition 65 Status: This product does not contain chemicals currently on the California list of known carcinogens and/or reproductive toxins.

ADDENDUM for Section - Other Information

NA = NOT APPLICABLE
ND = NOT DETERMINED
NE = NOT ESTABLISHED

The information contained herein is provided in good faith and is believed to be correct as of the date hereof. However, Advanced Chemical Technology makes no representation as to the comprehensiveness or accuracy of the information. It is expected that individuals receiving the information will exercise their independent judgement in determining its appropriateness for a particular purpose. Accordingly, Advanced Chemical Technology will not be responsible for damages of any kind resulting from the use of or reliance upon such information. No representations, or warranties, either expressed or implied or merchantability fitness for a particular purpose or of any other nature are made hereunder with respect to the information set forth herein or to the product to which the information refers.